PCT

W/120 PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Appli	icant's	or age	nt's file reference		O N-45-	ation of Toursell of Laborational				
85.68691/004				FOR FURTHER ACTION		ation of Transmittal of International Examination Report (Form PCT/IPEA/416)				
						· · · · · · · · · · · · · · · · · · ·				
International application No.				International filing date (day/month	vyear)	Priority date (day/month/year)				
	T/GB9			23/07/1999		04/08/1998				
			nt Classification (IPC) or na	tional classification and IPC						
GUI	1N35/0	JU								
Appli	icant					•				
DY	NEX T	ECH	INOLOGIES INC. et al	l.						
ı			ational preliminary exami smitted to the applicant a		d by this Inte	rnational Preliminary Examining Authority				
ĺ	and is	uans	initied to the applicant a	cording to Afficie 30.						
1_										
2.	This F	KEPO	RT consists of a total of	5 sheets, including this cover s	neet.					
	⊠ Ti	his re	nort is also accompanied	d by ANNEXES, i.e. sheets of th	e descriptio	n, claims and/or drawings which have				
						ctifications made before this Authority				
	(s	ee R	ule 70.16 and Section 60	07 of the Administrative Instructi	ons under th	ne PCT).				
	These	anne	exes consist of a total of	6 sheets						
	111636	ami	exes consist of a total of	o sheets.						
		•								
3.	This re	eport	contains indications rela	ting to the following items:						
	ı	\boxtimes	Basis of the report							
	П		Priority							
				pinion with regard to novelty, in	on with regard to novelty, inventive step and industrial applicability					
	IV		Lack of unity of invention	on						
	V	⊠		nder Article 35(2) with regard to ons suporting such statement	novelty, inve	entive step or industrial applicability;				
	VI		Certain documents cité	ed						
	VII		Certain defects in the in	nternational application						
	VIII		Certain observations or	the international application						
Date	of sub	missio	on of the demand	Date of	completion of	this report				
										
03/0	03/200	00		14.11.2	000					
			g address of the international	I Authoriz	zed officer	SONE OF STATE OF STAT				
prelii	preliminary examining authority: European Patent Office									
	<i>o</i>)))	D-80	298 Munich	Roual	ılt, P					
Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465				S epmu d		0.0000.0776				

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB99/02425

l.	Bas	sis	of	the	re	po	rt
----	-----	-----	----	-----	----	----	----

1.	. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments (Rules 70.16 and 70.17).): Description, pages:								
	1-19)	as originally filed						
	Clai	ms, No.:							
	1-27	,	as received on	01/11/2000	with letter of	01/11/2000			
	Dra	Drawings, sheets:							
	1/5-	5/5	as originally filed						
2.			uage, all the elements marked nternational application was fil						
	The	These elements were available or furnished to this Authority in the following language: , which is:							
	☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).								
	the language of publication of the international application (under Rule 48.3(b)).								
		the language of a t 55.2 and/or 55.3).	ranslation furnished for the pu	rposes of inter	national prelimina	ry examination (under Rule			
3.		•	leotide and/or amino acid se y examination was carried out	•					
		contained in the int	ternational application in writte	n form.					
	☐ filed together with the international application in computer readable form.								
	furnished subsequently to this Authority in written form.								
	furnished subsequently to this Authority in computer readable form.								
	☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.								
	☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.								
4.	The	amendments have	resulted in the cancellation of	:					
		the description,	pages:						
		the claims,	Nos.:						

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB99/02425

	the drawings,	sheets:					
	This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):						
		et contair	ning such	amendments must be referred to under item 1 and annexed to this			
Additional observations, if necessary:							
				rith regard to novelty, inventive step or industrial applicability;			
State	ement						
Nov	elty (N)	Yes: No:	Claims Claims	1-27			
Inve	ntive step (IS)	Yes: No:	Claims Claims	1-27			
Indu	strial applicability (IA)	Yes: No:	Claims Claims	1-27			
F C S	Rea: citat State Nove	considered to go beyond (Any replacement she report.) Additional observations, if	considered to go beyond the disconsidered to go beyond the disconsidered (Any replacement sheet contain report.) Additional observations, if necessary Reasoned statement under Article citations and explanations supposite the supposite that	considered to go beyond the disclosure (Any replacement sheet containing such report.) Additional observations, if necessary: Reasoned statement under Article 35(2) we estations and explanations supporting such statement Novelty (N) Yes: Claims No: Claims			

2. Citations and explanations see separate sheet

EXAMINATION REPORT - SEPARATE SHEET

Reference is made to the following documents:

D1: LITTLE J N ET AL: 'RECENT ADVANCES IN ROBOTIC AUTOMATION OF MICROPLATE ASSAYS' LABORATORY AUTOMATION & INFORMATION MANAGEMENT, vol. 26, no. 2, 1 November 1994 (1994-11-01), pages 89-99, XP000476920 ISSN: 1381-141X

D2: EP-A-0 557 828 (HORIBA LTD ;TAKARA SHUZO CO (JP)) 1 September 1993 (1993-09-01)

D3: US-A-3 912 456 (YOUNG ROBERT R) 14 October 1975 (1975-10-14)

D4: EP-A-0 441 755 (CHEMILA SRL) 14 August 1991 (1991-08-14)

A) First invention, -- Claims 1 to 15:

The subject-matter of the new independent Claims 1 and 14 is considered to be new and non-obvious with respect to the available prior art, because, for the belowmentioned reasons, the combination of a pipette mechanism having an integral clamp for picking up items and a movable arm to which said pipette mechanism is connected is neither disclosed in, nor suggested by, that prior art.

The closest prior art is represented by document D1 which discloses a method, respectively, an apparatus, such as described in the preamble of Claim 14, respectively, Claim 1. Although the wording of that document is misleading since the description of Fig. 9 on page 95 (see the second paragraph) could let think that the pipette mechanism of Fig. 8 further comprises "a hand capable of spreading its fingers", it is clear from Fig. 9 that no such hand is available on said pipette mechanism. It rather seems that this hand is present at the extremity of the robot arm of Fig. 8 and holds the pipette mechanism so that said pipette mechanism can be changed very readily.

Document D2 describes a robot arm having a hand capable of catching a plurality of items, like a tip holder, a vial, etc...

INTERNATIONAL PRELIMINARY International application No. PCT/GB99/02425 EXAMINATION REPORT - SEPARATE SHEET

B) Second invention, -- Claims 16 to 27:

The subject-matter of the new independent Claims 16 and 25 is also new and inventive, because the available prior art neither anticipates nor hints at a retractable drawer which can be ejected to cover at least part of a work area of an automated immunoassay apparatus.

The closest prior art is represented by documents D3 and D4 which both reveal an apparatus having a retractable drawer disposed under a work area when said drawer is closed.

GB 009902425

- 20 -

68691004.351

Claims

- 5 An automated immunoassay apparatus (1) comprising: a movable arm (7a,7b);
 - a pipette mechanism (6) for aspirating and/or dispensing fluid, said pipette mechanism (6) being connected to said movable arm (7a,7b);
- 10 characterised in that:

said pipette mechanism further comprises an integral clamp (23,27,31) for picking up and transporting one or more items other than a disposable tip (9).

15

- An automated immunoassay apparatus as claimed in claim 1, wherein said clamp (23,27,31) comprises a collar (27).
- 20 An automated immunoassay apparatus as claimed in claim 2, wherein said collar (27) is movable in a first axial direction.
- An automated immunoassay apparatus as claimed in 25 claim 1, 2 or 3, wherein said clamp (23,27,31) comprises a portion (23) for engagement with a disposable sample tip (9) or a reagent tip.
- An automated immunoassay apparatus as claimed in 30 claim 4, wherein said portion (23), in use, substantially resists movement in said first axial direction.
- An automated immunoassay apparatus as claimed in 35 claim 4 or 5, wherein said portion (23) is spring loaded.

10

- An automated immunoassay apparatus as claimed in claim 6, wherein said portion (23) may move in a direction opposed to said first axial direction.
- An automated immunoassay apparatus as claimed in 5 8. any of claims 4-7, wherein said portion (23) co-operates with said collar (27) to clamp a pickup block (34) or other article disposed between said collar (27) and said portion (23)
- An automated immunoassay apparatus as claimed in any preceding claim, wherein said one or more items are selected from a group comprising: a microplate (13), a plate holder (35), one or more sample tubes, a sample rack (4), a reagent container, a reagent rack (11), a 15 control container, a control rack (15), and a tip rack (8;12).
- An automated immunoassay apparatus as claimed in any preceding claim, further comprising a pickup block 20 (34) and wherein said clamp (23,27,31) engages in use with a slot or recess (32) provided in said pickup block (34).
- An automated immunoassay apparatus as claimed in 25 claim 10, wherein said pickup block (34) is connected to a holder (35) suitable for carrying a microplate (13).
- An automated immunoassay apparatus as claimed in claim 10 or 11, wherein said clamp (23,27,31) and/or 30 said pickup block (34) further comprise anti-rotation means (27,36) for substantially preventing said pickup block (34) and any item attached thereto from rotating.
- An Enzyme Linked ImmunoSorbent Assay system 35 comprising automated immunoassay apparatus as claimed in any preceding claim.

GB 009902425

5

- 22 -

14. A method of automatically performing immunoassay procedures comprising:

providing a movable arm (7a,7b);

aspirating and/or dispensing fluid using a pipette mechanism (6), said pipette mechanism (6) being connected to said movable arm (7a,7b);

characterised in that said method further comprises the step:

picking up and transporting one or more items other than a disposable tip (9) using said pipette mechanism 10 (6) having an integral clamp (23,27,31).

15. A method as claimed in claim 14, wherein said method is used for carrying out Enzyme Linked ImmunoSorbent Assay procedures. 15

01-11-2000

5

- 23 -

An automated immunoassay apparatus comprising: at least one washer (17), reader (18) or incubator (16) module; and

a work area (2) where, in use, components and consumables necessary for carrying out diagnostic tests are arranged;

characterised in that said apparatus further comprises:

- a retractable drawer (14) for holding at least one first item selected from the group comprising: a 10 microplate (13), a plate holder (35), one or more sample tubes, a sample rack (4), a reagent container, a reagent rack (11), a control container, a control rack (15), and a tip rack (8;12), said retractable drawer (14) being disposed above said work area (2) and wherein said 15 retractable drawer (14) may be withdrawn to provide access to said work area (2) and may be ejected to cover at least part of said work area (2).
- An automated immunoassay apparatus as claimed in 20 claim 16, wherein said retractable drawer (14) comprises an aperture through which a disposable tip (8;12) may be passed in use.
- An automated immunoassay apparatus as claimed in 25 claim 17, further comprising a chute (42) arranged for receiving a disposable tip (8;12) passed in use through said aperture in said retractable drawer (14) when said retractable drawer (14) is at least partially extended.
- 30 An automated immunoassay apparatus as claimed in claim 18, wherein said chute (42) is generally aligned with said aperture in said retractable drawer (14) when said retractable drawer (14) is fully extended.

01-11-2000 、

5

10

- 20. An automated immunoassay apparatus as claimed in any of claims 16-19, wherein said retractable drawer (14) is arranged to hold at least one, at least two, at least three or at least four microplates (13).
- 21. An automated immunoassay apparatus as claimed in any of claims 16-20, wherein said retractable drawer (14) is at least partially retractable whilst said at least one first item is held, in use, on said retractable drawer (14).
- An automated immunoassay apparatus as claimed in any of claims 16-21, wherein said at least one first item comprises a microplate (13) and said apparatus further comprising transport means (23,27,39) for moving 15 said microplate (13) to said at least one washer (17), reader (18) or incubator (16) module.
- An automated immunoassay apparatus as claimed in any of claims 16-22, further comprising transport means 20 (23,27,31) for moving said at least one first item, said transport means (23,27,31) comprising a pipette means (6) having an integral clamp.
- An automated immunoassay apparatus as claimed in 25 24. claim 23, wherein said transport means (23, 27, 31) comprises an end portion (23) for receiving a disposable tip (8;12) and a collar portion (27), said collar portion (27) being movable to clamp a said first item and/or to eject a disposable tip (8;12) held on said end 30 portion (23).
 - A method of automatically performing immunoassay procedures, comprising the steps of:
- providing at least one washer (17), reader (18) or 35 incubator (16) module; and

providing a work area (2) where, in use, components and consumables necessary for carrying out diagnostic

tests are arranged;

01-11-2000

characterised in that said method further comprises the step of:

using a retractable drawer (14) to hold at least one item selected from the group comprising: a 5 microplate (13), a plate holder (35), one or more sample tubes, a sample rack (4), a reagent container, a reagent rack (11), a control container, a control rack (15), and a tip rack (8;12), said retractable drawer (14) being disposed above said work area (2) and wherein said 10 retractable drawer (14) may be withdrawn to provide access to said work area (2) and may be ejected to cover at least part of said work area (2).

- A method of automatically performing immunoassay 15 procedures as claimed in claim 25, wherein said at least one item comprises a microplate (13), said method further comprising the step of transporting said microplate (13) from said retractable drawer (14) to said at least one washer (17), reader (18) or incubator 20 (16) module using a pipette means (6) having an integral clamp.
- A method as claimed in claim 25 or 26, wherein said method is used for carrying out Enzyme Linked 25 ImmunoSorbent Assay procedures.





PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: G01N 35/00, 33/54

(11) International Publication Number:

WO 00/08472

(43) International Publication Date:

17 February 2000 (17.02.00)

(21) International Application Number:

PCT/GB99/02425

A2

(22) International Filing Date:

23 July 1999 (23.07.99)

(30) Priority Data:

9816943.6 9816944.4 4 August 1998 (04.08.98) Œ 4 August 1998 (04.08.98)

(71) Applicant (for all designated States except US): DYNEX TECHNOLOGIES INC. [US/US]: 14340 Striyfield Circle, Chantilly, VA 22021 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BOTT, lon [GR/GB]; Flat 5. Avenue Vivier, Ville an Roi, St. Peter Port, Guernacy (GB). PUSSELLIPR, Andrew [GB/GB], L'Eclaire, Rue du Laitte, Torteval, Guertsey (GB). BUNCE, Adrian [GB/GB], 51 The Boulevard, Worthing, West Susser BN13 LIZ (GI). LE PAGS, Paul [GB/GB]: Tregerma, Le Mont D'aval, Castel, Guernsey GY5 (PD (GB).

(74) Agent: JEFFREY, Philip, Michael; Frank B, Dehn & Co., 179 Queen Victoria Street, London EC4V 4PL (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DE (Utility model). KE, LS, MW, SD, SL, SZ, UG, ZW), Emasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM. GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) THE: AUTOMATED IMMUNOASSAY APPARATUS WITH FLEXIBLE PICK-UP ARM

(S7) Abstract

An automated sample handling apparatus is disclosed baving a pipette recchanism (6) which has an integral clamp device (27, 31, 23) suitable for picking up one or more items other than a disposable the (8; 12) such as a place holder (35) which can carry a microplete or other consumable item(s). A retractable drawer (14) for carrying a plurality of microplates (13) is also provided.

